

1. Project Title Proposed ND for So. Cal Tire Recycling Facility
2. Lead Agency Calif. Int. Waste Mgmt. Board 3. Contact Person Jeannie Blakeslee
3a. Street Address 2800 Cal Center Drive 3b. City Sacramento
3c. County _____ 3d. Zip 95826 3e. Phone 916 255-4708

Project Location 600 South L Street
4. County Imperial 4a. City/Community Imperial
4b. Assessor's Parcel No. _____ 4c. Section _____ Top _____ Range _____
5a. Cross Streets 2nd + South L 5b. For Rural, Nearest Community _____
6. Within 2 miles: a. State Hwy # _____ b. Airports _____
c. Railways _____ d. Waterways _____

7. Document Type

CEQA: 01. NOP 05. Supplement/Subsequent EIR (Prior SCH No.: _____) NEPA: 09. NOI OTHER: 13. Joint Document
02. Early Cons 10. FONSI 14. Final Document
03. Neg Dec 06. NOE 11. Draft EIS 15. Other _____
04. Draft EIR 07. NOC 12. EA 08. NOD

8. Local Action Type

01. General Plan Update 05. Annexation 09. Rezone 12. Waste Mgmt Plan
02. New Element 06. Specific Plan 10. Land Division (Subdivision, Parcel Map, Tract Map, etc.) 13. Cancel Ag Preserve
03. General Plan Amendment 07. Community Plan 11. Use Permit 14. Other _____
04. Master Plan 08. Redevelopment

9. Development Type

01. Residential: Units _____ Acres _____ 07. Mining: Mineral _____
02. Office: Sq.ft. _____ Acres _____ Employees _____ 08. Power: Type _____ Wats _____
03. Shopping/Commercial: Sq.ft. _____ Acres _____ Employees _____ 09. Waste Treatment: Type _____
04. Industrial: Sq.ft. _____ Acres _____ Employees _____ 10. OCS Related
05. Water Facilities: MGD _____ 11. Other: na
06. Transportation: Type _____

10. Total Acres 4 11. Total Jobs Created _____

12. Project Issues Discussed in Document

01. Aesthetic/Visual 09. Geologic/Seismic 17. Social 25. Wetland/Riparian
02. Agricultural Land 10. Jobs/Housing Balance 18. Soil Erosion 26. Wildlife
03. Air Quality 11. Minerals 19. Solid Waste 27. Growth Inducing
04. Archaeological/Historical 12. Noise 20. Toxic/Hazardous 28. Incompatible Land Use
05. Coastal Zone 13. Public Services 21. Traffic/Circulation 29. Cumulative Effects
06. Economic 14. Schools 22. Vegetation 30. Other _____
07. Fire Hazard 15. Septic Systems 23. Water Quality
08. Flooding/Drainage 16. Sewer Capacity 24. Water Supply

13. Funding (approx.) Federal \$ _____ State \$ _____ Total \$ _____


14. Present Land Use and Zoning

15. Project Description N.D. for issuance of a Tire Storage and Disposal Permit for So. Cal Tire Recycling facility. CWMB's regulatory authority is over storage of waste tires, and is the entity issuing the entitlement.

16. Signature of Lead Agency Representative Jeannie Blakeslee Date 6-17-99

NOTE: Clearinghouse will assign identification numbers for all new projects. If a SCH number already exists for a project (e.g. from a Notice of Preparation or previous draft document) please fill it in.

Form Revised 4/95 — Replaces CAISW



1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025

PROPOSED NEGATIVE DECLARATION FOR THE PROPOSED SO. CAL TIRE RECYCLING FACILITY 13-TI-0147

1. **Lead Agency**
California Integrated Waste Management Board
8800 Cal Center Drive
Sacramento, CA 95826

Contact: Jeannie Blakeslee (916) 255-4708
2. **Project Location**
The So. Cal Tire Recycling facility is located at 600 South "L" Street, in Imperial, CA. The site is zoned-1, General Industrial. Surrounding land uses within one-quarter mile include residences, a city equipment storage yard, above-ground storage tanks, a fertilizer factory, vacant lots, and the Imperial City Fairgrounds.
3. **Project Description**
The California Integrated Waste Management Board (IWMB) proposes to issue a Minor Waste Tire Storage and Disposal Permit to So. Cal Tire Recycling, Inc., for the storage of up to 4,999 tires. The project consists of the storage and shredding of tires on a 4 acre site located on the northeast corner of Second and "L" Streets in the city of Imperial. So. Cal Tire Recycling collects 2,500 to 3,000 waste tires per week from San Diego County, Los Angeles County and Imperial County tire businesses. Once the tires are brought to the facility, they are unloaded, sorted and processed for shredding, or loaded into another vehicle for delivery to a tire re-treading facility or used tire dealer. The tire shreds are taken to a landfill for disposal. The tires are stored inside an existing building on the facility property prior to shredding. The tire shredder operates about five days per week, 3 to 5 hours per day, Monday through Friday, from 6 A.M. to 4 P.M., and on Saturdays from 8 A.M. to 12 Noon. The shredder has the capacity to process from 800 to 1,000 passenger tires per hour. The shredder is powered by a 300 kilowatt/hour diesel engine. The shredder has a water misting system for dust control, and is engineered to meet the air quality control standards for the County.

As background, the facility was issued a permit exclusion on August 28, 1995 under sections 18420 (a) (4), 18420 (b) and 17356 (a) of Title 14, California Code of Regulations. The exclusion required the operator to store all tires in enclosed containers and removal of 90% removal of these tires within 150 days. In June, 1998, section 18420 (b) was rescinded, and the facility could no longer operate under an exclusion.

Since there are no local entitlements to be issued to the operator that require compliance with the California Environmental Quality Act (CEQA), CIWMB is acting as lead agency. CIWMB's regulatory authority is limited to the storage aspect of the project. Vector control and fire prevention and control measures are intrinsic to the

project to ensure protection of public health and the environment. The vector control and fire prevention and control plans are attached. Additionally, section 24.07.140 of the City of Imperial's Zoning Ordinance establishes performance standards for the industrial zoning districts. These standards relate to landscaping requirements in setback areas, control of site lighting, screening of mechanical equipment, undergrounding of power lines where feasible, control of noise, odor, and air pollution. For this facility's specific use, the requirements for fire hazard and explosion protection, noise generation, vibration and air pollution would apply. On January 26, 1995 a letter was sent to the operator stipulating compliance with specific requirements in Section 24.07.140. The letter is included as an attachment. Compliance with the requirements set forth in this letter, the Vector Control Plan and the Fire Prevention and Control Plan serve as mitigation measures to potential environmental impacts associated with noise, air quality, hazards, fire/explosion, vibration, and screening.

4. Findings of Significant Effect on the Environment

Based upon the attached Environmental Checklist, CIWMB finds that as long as the minimum standards set forth in these regulations are complied with, and that all other applicable plans and local requirements are complied with, the proposed project will not result in significant effect on the environment, as that term is defined in PRC section 21068 (CEQA Guidelines Section 15064 (I)).

5. Local Government Responsibility

It is the responsibility of local entities and CIWMB (having general permitting authority over tire storage) to ensure that tires are stored in a manner so that there would be no threat to public health and the environment.

6. Reasonable Alternatives to the Proposed Project

CIWMB has considered alternatives to the proposed project, including a "no action" alternative. It has been determined that other alternatives would not be as effective as issuance of a permit to the operator of the facility. The proponent has operated on the site since 1995.

7. Other Public Agencies Whose Approval is Required

No other agencies' approvals are required for tire storage.

8. Discussion of Environmental Evaluation

As long as the requirements contained in the Waste Tire Storage and Disposal Facility regulations and any other applicable local, state or federal regulations are fully complied with, the proposed project will not have a significant adverse environmental impact, or adversely impact human health.

Land Use and Planning – No impact. The So. Cal Tire Recycling facility is located at 600 South "L" Street, in Imperial, CA. The site is zoned I-1, General Industrial.

Population and Housing – Less than Significant Impact. The So. Cal Tire Recycling facility has been in operation since 1995. The proposed project will not result in exceedance of local growth projections, or induce growth. The project will not displace housing as long as the requirements in the Fire Prevention Plan are complied with.

Geologic Problems - No Impact. The proposed project will not expose people to any of the events or conditions listed in this section of the Initial Study.

Water – Less than Significant Impact. The proposed project is not near any surface water body or active drainageway. The proposed project is of a nature that would not result in a significant changes in water quality or quantity because there would be no foreseeable discharge of waste constituents to land or to water.

Air – Less than Significant Impact. The operator must comply with the requirements in the Air Pollution Control District's permit which include the following:

operation of equipment be in compliance with all data and specifications submitted with the permit application;

opacity emissions shall not exceed 20% for a period or periods aggregating more than 3 minutes in any hour;

the power generator shall be fired on CARB No.2 diesel; and

submittal of an annual report containing the amounts of tires shredded and fuel consumed.

In the event of a fire at the facility, air quality may be temporarily degraded. To mitigate this potential impact, the operator is required to comply with a Fire Prevention and Control Measure Plan that has been approved by the County Fire Department. The plan includes the requirement to retain fire extinguishers and other equipment on site. A fire hydrant is directly west of the site on "L" Street. No tires are to be stored of located on a wooden floor. Debris and rubbish shall be properly contained and removed as needed. Vehicles are to be parked in a designated area when not in use. Tires are to be stored in a manner that meets NFPA 321D authority, and separated from any vegetation and other flammable materials. Fire lanes are to be 20 feet in width. No physical features on the site will interfere with fire fighting equipment. Two dump loads of sand are to be on-site to stop the flow of pyrolitic oil, and a backhoe is to be parked on-site.

Transportation - Less than Significant Impact. One truckload of tires per day enters the facility. Site access and exit is available on three of four sides of the facility: via "M" and "L" Streets and 2nd Street. The major entrance is on "L" Street. The site is in an area of the City of Imperial where there is minimal, if any traffic congestion.

Biological Resources – No Impact. The proposed project would have no impact on endangered, threatened or rare species or their habitats. The project site has been disturbed for many years. There are no heritage trees, no designated natural communities, no woodland habitat and no wildlife on the site.

Energy and Mineral Resources – No Impact. The proposed project would not conflict with any energy conservation plan, or wastefully use non-renewable resources, or result in the loss of a known mineral resource.

Hazards – Less than Significant Impact. There is a storage area for equipment approximately 300 feet west of the facility. The area includes above ground fuel tanks. In the event of a fire at the facility, there may be potential for explosion of the tanks if the fire is not extinguished promptly. To mitigate this potential, the tires are stored inside the facility buildings. To alleviate the potential for hazard related to accidental explosion, interference with emergency response plans, creation of a potential health hazard, or increased fire hazard in areas with brush, grass or trees, the operator is required to comply with a Fire Prevention and Control Measure Plan. The plan includes the requirement to retain fire extinguishers and other equipment on site. A fire hydrant is directly west of the site on "L" Street. No tires are to be stored or located on a wooden floor. Debris and rubbish shall be properly contained and removed as needed. Vehicles are to be parked in a designated area when not in use. Tires are to be stored in a manner which meets NFPA 321D authority, and separated from vegetation and other flammable materials. Fire lanes are to be 20 feet in width. No physical features on the site interfere with fire fighting equipment. Two dump loads of sand are to be on-site to stop the flow of pyrolytic oil, and a backhoe is required to be on-site. There is no brush or substantial vegetation on the site.

Noise – Less than Significant Impact. The attached letter regarding City Ordinance 24.07.140 requires that noise generation shall not exceed 75 decibels at the property line during operation of the tire shredding equipment. Operations shall be limited to the hours of 8:00 A.M. and 5:00 P.M. Monday through Saturday.

Public Services – Less than Significant Impact. In the event of a fire at the facility, access is provided to emergency vehicles and personnel, as required in the Fire Prevention and Control Measure Plan. The project does not impact schools, public facilities or other governmental services.

Utilities and Service Systems – No Impact. The proposed project would not result in any alteration to any utilities or service systems.

Aesthetics – No Impact. The proposed project is sited in an industrial area of the City of Imperial. The tire facility has been in operation since 1995. No new buildings or structures are proposed.

Cultural Resources – No Impact. The proposed project area has been disturbed. No excavation is proposed. There are no known paleontological, archeological, historical or unique cultural religious aspects to consider.

Recreation – No Impact. The proposed project would not result in an increase in demand for or affect regional parks or other recreational facilities.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | |
|--|---|
| <input type="checkbox"/> Land Use and Planning | <input type="checkbox"/> Transportation/Circulation |
| <input type="checkbox"/> Public Services | <input type="checkbox"/> Population and Housing |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Utilities and Service Systems |
| <input type="checkbox"/> Geological Problems | <input type="checkbox"/> Energy and Mineral Resources |
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Water |
| <input type="checkbox"/> Hazards | <input type="checkbox"/> Cultural Resources |
| <input type="checkbox"/> Air Quality | <input type="checkbox"/> Noise |
| <input type="checkbox"/> Recreation | <input type="checkbox"/> Mandatory Findings of Significance |

None applicable.

DETERMINATION

On the basis of this initial evaluation:

I find that the proposed project **COULD NOT** have a significant effect on the environment and a **NEGATIVE DECLARATION** will be prepared.

I find that although the proposed project could have a significant effect(s) on the environment, there will not be a significant effect in this case because the mitigation measures described on an attached sheet have been added to the project. A **NEGATIVE DECLARATION** will be prepared.

I find that the proposed project **MAY** have a significant effect on the environment, and an **ENVIRONMENTAL IMPACT REPORT** is required.

I find that the proposed project **MAY** have a significant effect(s) on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets, if the effect is a "potentially significant impact" or "potentially significant unless mitigated." An **ENVIRONMENTAL IMPACT REPORT** is required, but it must analyze only the effect that remain to be addressed.

I find that although the proposed project could have a significant effect on the environment, there **WILL NOT** be a significant effect in this case because all potentially significant effects (a) have been analyzed adequately in an earlier EIR pursuant to applicable standards and (b) have been avoided or mitigated pursuant to that earlier EIR, including revisions or mitigation measures that are imposed upon the proposed project.

Jeannie H. Bekester 6-17-99
Signature Date

Jeannie H. Bekester CIWM B
Printed Name For

Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

Issues
 (and Supporting Information Sources)

Environmental Checklist

I. LAND USE AND PLANNING. Would the proposal:

- | | | | | | |
|----|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) | Conflict with general plan designation or zoning? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) | Conflict with applicable environmental plans or policies adopted by agencies with jurisdiction over the project? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) | Be incompatible with existing land use in the vicinity? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) | Affect agricultural resources or operations (e.g. impacts to soils or farmlands, or impacts from incompatible land uses)? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) | Disrupt or divide the physical arrangement of an established community (including a low-income or minority community)? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

II. POPULATION AND HOUSING. Would the proposal:

- | | | | | | |
|----|--|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a) | Cumulatively exceed official regional or local population projections? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) | Induce substantial growth in an area, either directly or indirectly? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) | Displace existing housing, especially affordable housing? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

	Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact	No Impact
III. GEOLOGIC PROBLEMS. Would the proposal result in or expose people to potential impacts involving:				
a) Fault rupture?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Seismic ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Seiche, tsunami, or volcanic hazard?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Landslides or mudflows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Erosion, changes in topography or unstable soil conditions from excavation, grading or fill?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Subsidence of the land?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h) Expansive soils?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
i) Unique geologic or physical features?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
IV. WATER. Would the proposal result in:				
a) Changes in absorption rates, drainage patterns, or the rate and amount of surface runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Exposure of people or property to water related hazards such as flooding?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Discharge into surface waters or other alteration of surface water quality (e.g. temperature, dissolved oxygen or turbidity)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Altered direction or rate of flow of groundwater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Changes in currents, or the course or direction of water movements?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact	No Impact
f) Change in the quantity of groundwater, either through direct additions or withdrawals, or through interception of an aquifer by cuts or excavations or through substantial loss of groundwater recharge capability?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Altered direction or rate of flow of groundwater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h) Impacts to groundwater quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
i) Substantial reduction of groundwater otherwise available for public water supplies?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
V. AIR QUALITY. Would the proposal:				
a) Violate any air quality standard or contribute to an existing or projected air quality violation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Expose sensitive receptors to pollutants?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Alter air movement, moisture, or temperature or cause any change in climate?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Create objectionable odors?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
VI. TRANSPORTATION/CIRCULATION. would the proposal result in:				
a) Increased vehicle trips or traffic congestion?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Hazards to safety from design features (e.g. sharp curves or dangerous intersections) or incompatible uses (e.g. farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Inadequate emergency access or access to nearby uses?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Insufficient parking capacity on-site or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact	No Impact
e) Hazards or barriers for pedestrians or bicyclists?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Conflicts with adopted policies supporting alternative transportation (e.g. bus turnouts, bicycle racks)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Rail, waterborne or air traffic impacts?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
VII. BIOLOGICAL RESOURCES. Would the proposal result in impacts to:				
a) Endangered, threatened or rare species or their habitats (including but not limited to plants, fish, insects, animals, and birds)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Locally designated species (e.g. heritage trees)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Locally designated natural communities (e.g. oak forest, coastal habitat, etc.)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Woodland habitat (e.g. marsh, riparian and vernal pool)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Wildlife dispersion or migration corridors?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
VIII. ENERGY AND MINERAL RESOURCES. Would the proposal:				
a) Conflict with adopted energy conservation plans?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Use non-renewable resources in a wasteful and inefficient manner?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Result in the loss of availability of a known mineral resource that would be of future value to the region and the residents of the State?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

3415

Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact	Imps
--------------------------------------	---	------------------------------------	------

IX. HAZARDS. Would the proposal involve:

- | | | | | | |
|----|--|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a) | A risk of accidental explosion or release of hazardous substances (including, but not limited: oil, pesticides, chemicals or radiation?) | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| b) | Possible interference with an emergency response plan or emergency evacuation plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) | The creation of an health hazard or potential health hazard? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| d) | Exposure of people to existing sources of potential health hazards? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| e) | Increased fire hazard in areas with flammable brush, grass, or trees? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

X. NOISE. Would the proposal result in:

- | | | | | | |
|----|--|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a) | Increases in existing noise levels? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) | Exposure of people to severe noise levels? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

XI. PUBLIC SERVICES. would the proposal have an effect upon, or result in a need for new or altered government services in any of the following area:

- | | | | | | |
|----|--|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a) | Fire protection? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) | Police protection? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) | Schools? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) | Maintenance of public facilities, including roads? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) | Other governmental services? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

XII. UTILITIES AND SERVICE SYSTEMS. Would the proposal result in a need for new systems or supplies, or substantial alterations to the following utilities:

- | | | | | | |
|----|-----------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) | Power or natural gas? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
|----|-----------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|

	Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact	No Impact
b) Communication systems?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Local or regional water treatment or distribution facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Sewer or septic tanks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Storm water drainage?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Solid waste disposal?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Local or regional water supplies?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

XIII. AESTHETICS. Would the proposal:

a) Affect a scenic vista or scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Have a demonstrable negative aesthetic effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
c) Create light or glare?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

XIV. CULTURAL RESOURCES. Would the Proposal:

a) Disturb paleontological resources?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Disturb archaeological resources?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Affect historical resources?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Have the potential to cause a physical change which would affect unique ethnic cultural values?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Restrict existing religious or sacred uses within the potential impact area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

XV. RECREATION. Would the proposal:

	Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact	No Impact
a) Increase the demand for neighborhood or regional parks or other recreational facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Affect existing recreational opportunities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

XVI. MANDATORY FINDINGS OF SIGNIFICANCE

a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Does the project have the potential to achieve short-term, to the disadvantage of long-term environmental goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Potentially Significant Impact	Potentially Significant Unless Mitigated	Less Than Significant Impact
--------------------------------------	---	------------------------------------

XVII. EARLIER ANALYSES.


Earlier Analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, one or more effects have been adequately analyzed in an earlier EIR or Negative Declaration. Section 15063(c)(3)(D). In this case a discussion should identify the following on attached sheets:

- a) Earlier analyses used. Identify earlier analyses and state where they are available for review.
- b) Impacts adequately addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on an earlier analysis.
- c) Mitigation measures. For effects that are "Less than Significant with Mitigation Incorporated", describe the mitigation measures which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.

Authority: Public Resources Code Sections 21083 and 21087. Reference: Public Resources Code Sections 21080(c), 21080.1, 21080.3, 21082.1, 21083, 21083.3, 21093, 21094, 21151; Sundstrom v. County of Mendocino, 202 Cal. App. 3d 296 (1988); Leonoff v. Monterey Board of Supervisors, 222 Cal. App. 3d 1337 (1990) Attachment A

FIGURE 1A.- INSPECTION SKETCH

SOCAL TIRE RECYCLING, INC.
600 "L" STREET
IMPERIAL, CA
APRIL 15, 1999



ATTACHMENT # 2
SO. CAL TIRE RECYCLING, INC.
600 S. L ST.
IMPERIAL, CA. 92251
2/26/99

**FIRE PREVENTION AND CONTROL
MEASURE PLAN**

In case of fire emergency the following fire prevention measures have been taken, and are in agreement with the Imperial County Fire Department. For the purposes of fire control and the protection of life and property.

1. Communication equipment- Telephone and cell phones are accessible on site in case of emergency. An Emergency response 911 plan sign is on site.

2. Fire Control Equipment will be as follows:

- * 2-dry chemical fire extinguisher (10 lbs, 5 lbs)
- * 2 1/2 gallon water extinguisher
- * pike pole- 10 feet in length
- * round point and square point shovels
- * (5) 1 1/2" fire hoses with nozzles mounted in each warehouse
- * fire hoses mounted on posts inside each warehouse storing tires

Adequate water supply- Fire hydrant located directly west of property- on "L" St. approximately 5 feet. With a water supply rate of approximately 750 gpm. There are also numerous fire hydrants spread within the nearby vicinity.

3. Per Imperial County Fire Authority no tires will be stored or located on the South end of property due to the existing wooden floor. Also circuit breaker boxes have been removed as requested in south building.

4. All debris and rubbish shall be properly contained on property and removed as needed.


5. All equipment and vehicles not in use will be parked in one designated area.

6. All tire piles will be stored, indoors, and meet fire NFPA 231D authority approval. (height and length)

The maximum number of waste tires on- site will be 4,999.

ATTACHMENT # 2
SO. CAL TIRE RECYCLING, INC.
600 S. L ST.
IMPERIAL, CA. 92251

7. All waste tire piles stored less than 10 feet from property line meet fire authority requirements.
 8. All tires will be separated from vegetation and other flammable materials by at least 40 feet.
 9. All fire lanes meet fire UFC authority requirements of 20 feet in width.
 10. No grades or other physical features found on site will interfere with fire fighting equipment or personnel.
 11. So. Cal Tire Recycling Inc. which is located at 600 S. L St. must pass a yearly fire prevention inspection.
 12. Earvin L. Riven, residing at 418 S. K street has been contracted for week end protection of premises. Home phone # is (760) 355-1343, Pager # is (760) 335-2418, Work # is (760) 339-9134. Emergency phone numbers will be added to sign located in front of 600 S. L street Imperial.
 13. Two dump loads of sand will be trucked in, for use in fire emergency to stop the flow of pyrolitic oil.
 14. Backhoe will be located on site in case of fire emergency.
 15. Facility map drawn to scale will be submitted to local fire authority.
- All of the above requirements are hereby approved by the Imperial County Local Fire Authority, (which has jurisdiction over So. Cal Tire Recycling Inc.) and are adequate to meet the intent of California Integrated Waste Management Board regulations for fire control and the prevention of life and property.


Norman L. Meek/ President
So. Cal Tire Recycling, Inc.

See Attachment
Lon Hettinger/ Captain
Imperial County fire Dept.

**Imperial County Fire Department
Fire Prevention Bureau**
2514 La Brucherie Road
Imperial, California 92251
Phone 760-355-1191 Fax 760-355-1482

#020-99
March 2, 1999

So. Cal Tire Recycling Inc.
600 South "L" Street
Imperial, California 92251

Reference: Fire Prevention and Control Measure Plan.

Dear So. Cal Tire Recycling:

Thank you delivering your fire prevention and control plan. The site map is acceptable in it's current format, as is the proposed site plan. Your fire prevention and control measure plan is also acceptable.

We may however, add suggestions or comments to your plan at a future date. We will notify the CIWMB of our acceptance of your site map and plan.


We are returning the plans with the approval signature and stamp. If we can be of further assistance to you in this or any other matter please feel free to call.

Thank you for your cooperation, please keep your facility code and plan compliant.

Sincerely:



Lon Hettinger
Captain



ATTACHMENT # 1
SO. CAL TIRE RECYCLING, INC.
136 West 5th Street, Holtville, CA 92250
Business Office 760-356-2112
Plant Site 760-355-2553
Fax 760-356-1876

VECTOR CONTROL PLAN
2/24/99

This agreement between the County of Imperial Health Department (CIPHD) and So. Cal Tire Recycling Inc., 600 S. L Street, Imperial, Ca. 92251 stipulates that So. Cal Tire Recycling Inc. will abide by the vector control measures specified below.

All waste tires will be stored in a manner that prevents the breeding and harborage of mosquitoes, rodents, and other vectors by adhering to the following operations and procedures:

- A) No waste tires will be stored in open areas where rodent habitat or mosquito breeding conditions may develop.
- B) Waste tire rims and other residues will be kept in a separate area.
- C) Waste tires in the process of being sorted for storage, or shredded for disposal will not be kept outdoors for longer than three (3) days. Tarps and or plastic sufficient to cover all out of door tires will be kept at the facility, ready to use if there is a chance of rain.
- D) If waste tires need to be stored in open areas for longer than three (3) days, approval from CIWMB, Imperial County Fire Department and CIPHD must be obtained.
- E) So. Cal Tire Recycling, Inc., has contracted a licensed Pest Control Exterminator to inspect facility on a quarterly basis.(Terminix of Imperial Valley 2350 S. Weakly El Centro, Ca. 92243 (760) 353-5381 State License Number PR 3362) Contact Person: Tracy Fishell. A written recommendation will be made pertaining to Vector Control according to CIWMB. The report will be submitted to CIPHD quarterly. If corrective measures are needed, Terminix will implement corrective measures.
- F) To control the breeding and harborage of mosquitoes at the facility So. Cal Tire Recycling, Inc. agrees to inspect facility for standing water or other potential breeding habitat after rains. Standing water will be eliminated by grading or drainage to control breeding. Also, tires being received will be visually examined for water, and workers have been directed to remove any water immediately from the tire(s)

ATTACHMENT # 1

G) All vector control plan provisions will be reviewed with on-site workers initially and on a yearly basis thereafter.

H) This agreement also allows CIPHD to randomly inspect So. Cal Tire Recycling, Inc. at any time during normal working hours for the breeding and harborage of mosquitoes, rodents and other vectors.

Norman Meek

Norman Meek, President
So. Cal Tire Recycling Inc.

ATTACHMENT # 1

**IMPERIAL COUNTY PUBLIC HEALTH SERVICES,
DIVISION OF ENVIRONMENTAL HEALTH SERVICES
COURTHOUSE * 939 W. Main Street - B7
El Centro, CA 92243**

Phone: (760) 339-4203

Date: February 25, 1999

MEMORANDUM


TO: Paulino Luna, ICWMB Waste Tire Enf. Branch

FROM: Tom Wolf, Manager, EHS Div.

SUBJECT: Draft Vector Control Plan Dated 2/24/99: SoCal Tire Recycling, Inc.

Imperial County LEA has reviewed the draft noted above (and attached to this memo), and finds the provisions acceptable to reasonably be expected to control vectors at this facility. It is expected that the provisions of a permit issued to the operator will require the plan to be implemented.

Thank you for the opportunity to review the plan, and provide comments.





139 SOUTH NINTH STREET
EL CENTRO, CA 92543-2630

TELEPHONE (619) 379-4806
FAX (619) 375-9020



AIR POLLUTION CONTROL DISTRICT

CONDITIONS FOR PERMIT TO OPERATE #2365

SO CAL TIRE RECYCLING INC
600 S. L STREET
IMPERIAL, CA 92251

COPY

LOCATION: 600 S. L STREET
IMPERIAL, CA

1. Operation of this equipment shall be in compliance with all data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
2. Opacity of Emissions shall not exceed 20% for a period or periods aggregating more than three (3) minutes in any hour.
3. Power generator shall be fired on CARB No. 2 Diesel.
4. Permittee shall submit to the ICAPCD an annual report containing the monthly production (amount of tires shredded or tons) and fuel consumed. The annual report shall be submitted to the ICAPCD by the end of February of each operating year.

EQUIPMENT LIST

- 1 - Saturn Tire Shredder, Model #72-46HT
- 1 - 300 KW Cummins Power Generator, Model #230NTA

SEP 14 1998



CITY COUNCIL
PATRICIA BLUM
MARK GRAN
RANDY HARRIS
TOM MAZURK
BETTY SAMPSON

CITY CLERK
PATRICIA A. CANO

CITY TREASURER
STEVE SHANER

CITY ATTORNEY
DENNIS MORITA



COPY

CITY MANAGER
PAUL J. RICHARDS

CHIEF OF POLICE
ANDRÉ R. MOORE

DIRECTOR OF
PUBLIC WORKS / PLANNING
BARRY I. MALRICO

FINANCE OFFICER
JANELLE HOOKER

City of Imperial

INCORPORATED 1904

January 26, 1995


Mr. Norman L. Meek
136 West 5th Street
Holtville, CA 92250

Re: Tire Shredding Facility located on the Northeast Corner of 2nd and "L" Streets.

Dear Mr. Meek,

Please be advised that the above referenced site is zoned I-1 (General Industrial). A tire shredding facility would be considered a permitted use in the I-1 zone, however, section 24.07.140 of the Imperial zoning ordinance establishes performance standards for the industrial zoning districts. The performance standards for the industrial zones relate primarily to landscaping requirements in setback areas, control of site lighting, screening of mechanical equipment, undergrounding of power lines where possible and control of noise, odor, air pollution, fire hazards and vibration. Section 24.07.140 is enclosed for your information. For your specific use, the requirements for fire hazard and explosion protection, noise generation, vibration and air pollution would apply. In order to comply with section 24.07.140, the City requests that you comply with the following requirements:


- (1) Noise - Noise generation shall not exceed 75 decibels at the property line during operation of the tire shredding equipment. Operations shall be limited to the hours of 8:00 a.m., and 5:00 p.m. Monday through Saturday. No operations shall be conducted on Sundays.
- (2) Air Pollution - Obtain a permit from the County Air Pollution Control district for your tire shredding facility.
- (3) Fire Protection - Provide adequate fire protection equipment/facilities as approved by the Fire Chief to include provisions for increasing fire fighting flow in the area and submittal of a disaster plan with affected agencies.



CITY HALL
420 South Imperial Avenue
Imperial, California 92251-1637
Telephone (619) 355-4371
Fax (619) 355-4718

PUBLIC WORKS / PLANNING / BUILDING
400 South Imperial Avenue
Imperial, California 92251
(619) 355-1152 Planning
(619) 355-1084 Building
Fax (619) 355-1151

24-25



CITY COUNCIL
PATRICIA BURK
MARK GRAN
RANDY HINES
BETTY SAMPSON
PAUL BUCHER

CITY CLERK
PATRICIA A. CANO

CITY TREASURER
STEVE SHANER

CITY ATTORNEY
DENNIS MORITA



City of Imperial
INCORPORATED 1904

CITY MANAGER
PAUL J. RICHARDS

CHIEF OF POLICE
AVIS R. MOORE

DIRECTOR OF
PUBLIC WORKS/PLANNING
BAYANI I. MAURICIO

FINANCE OFFICER
JANELL HODGKIN

December 1, 1998


So. Cal Tire Recycling, Inc.
136 West 5th Street
Holtville, California 92250

~~SUBJECT: FLOOD ZONE DESIGNATION~~

To Whom It May Concern:

So. Cal Tire Recycling, Inc. located at 600 So. "L" Street in Imperial, California, is not located within a FEMA designated flood hazard area. Additionally, the site has been designed to surface-drain all storm run off to the city's surface drainage system.

Sincerely,



William Mordah
Public Work Director

WM:sh

CITY HALL
420 South Imperial Avenue
Imperial, California 92251-1637
Telephone (819) 355-4371
FAX (819) 355-2013

PUBLIC WORKS/PLANNING/BUILDING
400 South Imperial Avenue
Imperial, California 92251
(819) 355-1152 Planning
(819) 355-1064 Building
FAX (819) 355-1151

24.21



SO. CAL TIRE RECYCLING INC.
136 WEST FIFTH STREET
HOLTVILLE, CA. 92250
(760) 356-2112
FAX (760) 356-1876

June 15, 1999

CIWMB
8800 Cal Center Dr.
Sacramento, CA. 95826

Attention: Paulino Luna

Dear Paulino,


Information you requested from Norman Meek.

1. The entrance to SO CAL TIRE RECYCLING, INC. is located on "L" street, (westside of property.)
2. SO CAL TIRE RECYCLING, INC. will be bringing in (1) one load of tires per day, (approx. 250 truck tires.)

Thank you,




Teri Johnston
SO CAL TIRE RECYCLING, INC.





24.07.140 PERFORMANCE STANDARDS: I ZONES

- A. In all I zones the required setbacks shall be landscaped. Landscaping shall consist predominantly of drought tolerant, low maintenance plant materials and shall be irrigated by automatic sprinklers. All landscaping shall be permanently maintained in a clean and healthy and thriving condition, free of weeds, trash and debris.
- B. All ground mounted mechanical equipment, including heating and air conditioning units and trash receptacle areas, shall be completely screened from surrounding properties by use of a parapet, wall or fence, or shall be enclosed within a building. Exposed gutters, downspouts, vents, louvers, and other similar elements shall match the surface to which they are attached unless they are used as part of the design theme.
- C. All utility connections shall be designed to coordinate with the architectural elements of the site so as not to be exposed except where necessary. Pad-mounted transformers and/or meter box locations shall be included in the site plan with an appropriate screening treatment. Power lines and overhead cable shall be installed underground where possible.



- D. Lighting. All light sources shall be shielded in such a manner that no light is visible from streets or adjoining properties. Illuminators shall be integrated within the architecture of the building. Freestanding lamp posts shall be no taller than 18 feet. The intensity of light at the boundary of any I zone shall not exceed seventy-five (75) foot lamberts from a source of reflected light. All exterior lighting shall be low pressure sodium.





24.07.140 PERFORMANCE STANDARDS: I ZONES (continued)

- N. Testing. Whenever there is a question of conformance with the performance standards of this Section, the property owner or operator shall engage the services of a certified testing firm if required by the Planning Director. Copies of all such tests shall be furnished to the Planning Director.
- O. Energy Conservation. Buildings shall be located on the site to provide adjacent buildings adequate sunlight for solar access. Buildings shall be designed to minimize energy consumption requirements, and may include, but not necessarily be limited to, the following conservation measures:
1. Cogeneration;
 2. Eave coverage for windows;
 3. Double glazed windows;
 4. Earth berming against exterior walls;
 5. Green houses; and
 6. Deciduous shade trees.
 7. All new construction and remodeling shall be preplumbed for solar hot water heating.

24.07.150 ACCESSORY STRUCTURES

- A. In any I zone, accessory structures shall not be located in front of the main building.
- B. In any I zone, accessory structures shall meet all of the setback requirements for main buildings.
- C. In any I zone, porches, steps, architectural features such as canopies or eaves, and chimneys, balconies or stairways may project not more than four (4) feet into any required yard area.
- D. In any I zone, accessory structures shall be no taller than fifteen (15) feet in height.

24.07.160 WALLS AND FENCES

- A. In any required front or side yard area, a wall or fence shall not exceed thirty-six (36) inches in height.
- B. In any required rear or interior side yard area, a wall or fence shall not exceed six (6) feet in height.

24.07.170 SIGNS


No sign or outdoor advertising structure shall be permitted in any I zones except as provided in Section 24.15.


SEP 14 1998



24-07.140 PERFORMANCE STANDARDS: I ZONES (continued)

- E. Electrical Disturbance, Heat and Cold, Glare. No use except a temporary construction operation shall be permitted which creates changes in temperature or direct glare, detectable by the human senses without the aid of instruments, beyond the boundaries of the site. No use shall be permitted which creates electrical disturbances that affect the operation of any equipment beyond the boundaries of the site.
- F. Fire and Explosion Hazard. All storage of and activities involving inflammable and explosive materials shall be provided with adequate safety and fire fighting devices to the specifications of the Uniform Fire Code and the Fire Chief. All incineration is prohibited. Adequate emergency sprinklers and smoke detectors shall be installed in all new construction and upon expansion or change of an existing use.
- G. Noise. No use except a temporary construction operation shall be permitted which creates noise level which exceeds five decibels (as defined in the Occupational Safety and Health Act of 1970) above the ambient level of the area measured at the property line.
- H. Odor. No use shall be permitted which creates odor in such quantities as to be readily detectable beyond the boundaries of the site.
- I. Radioactivity. In all I zones, the use of radioactive materials shall be limited to measuring, gauging, calibration devices, and medical x-ray diagnostic equipment.
- J. Vibration. No use except a temporary construction operation shall be permitted which generates inherent and recurrent ground vibration perceptible, without instruments at the boundary of the lot on which the use is located.
- K. In any I zone the conversion of a project to condominium ownership shall meet all the requirements of the zone to the maximum extent possible within the constraints of the existing development. In no case shall the requirements of the Fire Code, Sign Ordinance, and Screening standards be waived. Specific City Council waiver shall be required where the zone requirements except as noted herein, cannot be met.
- L. Air Pollution. There shall be no emission on any site, for more than one minute in any hour, of air contaminants which, at the emission point or within a reasonable distance of the emissions point, are as dark or darker in shade as that designated as No. 1 on the Ringelman Chart as published in the United States Bureau of Mines Information Circular 7718.
- M. Outdoor Storage Areas shall be entirely enclosed by solid masonry walls not less than six (6) feet in height to adequately screen view from the external boundaries of the property.






- (4) Vibration - Vibration, if any, shall be strictly controlled to prevent ground vibrations beyond the property lines of the site.
- (5) Screening - All ground mounted mechanical equipment shall be screened from public view by a wall or fence, or be completely enclosed within a building.

We also observed that tires are being piled inside the compound. It was agreed that tires will be shredded and carried directly to the landfill.

If you have any questions, please contact me or Joel Hamby at 355-1152.

Sincerely,



Ray Mauricio
Director of P.W./Planning

cc: City Council
City Manager
City Attorney
Assistant Engineer
Planner
Ed Snively

