



*What is Compost?*  
*Composting Biology and Core*  
*Principals*


**David M. Crohn**

Department of Soil and Environmental Sciences  
University of California, Riverside



# *Compost: definition*

- ✦ “An accumulation of decaying or decayed organic matter, as from leaves and manure, used to improve soil structure and to provide nutrients.”
  - Decay is a biological process (not a chemical process)
  - Properties determine what is a compost (not the production method)


- 
- 
- Backyard Composting
  - Vermicomposting
  - Lasagna Composting
  - Thermophilic Composting

*Not all composts are created equal.*

# *Thermophilic composting*



# *Compost microorganisms*



# *Aerobic processes*

**Microbes,  
Carbon, &  
Oxygen**

**Carbon  
Dioxide,  
Water,  
Compost,  
& *Heat***

**Respiration**



# *Thermophilic composting*

- ✦ Microbes tend to specialize in the temperatures they prefer.
- ✦ In California soils and in our bodies mesophiles are most abundant. Pathogens are mesophiles.
- ✦ Between 110°F and 155°F, thermophiles dominate.
- ✦ Above about 160°F dieoff begins.
- ✦ Reliable pathogen kill occurs above 131°F.
- ✦ Heat greatly accelerates microbial efficiency.

# *Thermophilic composting*



*Why compost?*

**Active Composting**

✦ **To eliminate disease organisms**

*Animal • Plant • Human*

✦ **To produce a stable and safe soil amendment**

*Nutrients • Odors • Phytotoxins*

**Curing**

# *Carbon*

- ✦ **Source of energy for microbes**
- ✦ **Not all forms are equally available**
  - **lignin (less available)**
  - **cellulose**
  - **fats, waxes, proteins**
  - **sugars (more available)**

C



C

# *Nitrogen*

- ✦ **Vital nutrient for microbes**
- ✦ **Needed for protein synthesis**
- ✦ **Excess may volatilize as ammonia (NH<sub>3</sub>)**
- ✦ **Other nitrogenous compounds can be odiferous**
- ✦ **Also important for plants**
- ✦ **C:N ratio**
  - **initially about 35:1**
  - **about 10:1 to 20:1 in cured product**

N




N

# *Oxygen*


- ✦ Acts as an electron acceptor
- ✦ Permits efficient liberation of *energy* from carbon
- ✦ Energy is used by microbes to grow and reproduce




# *Oxygen: turned windrow*




# Composting alternatives



Turned Windrow



Static pile




In-vessel

# *Water*

- ✦ **Clings to compost particles**
- ✦ **The bath within which microbes grow**
- ✦ **Too much fills pores**
- ✦ **Oxygen moves slowly into water**

H<sub>2</sub>O

# *Compost particle environment*



# *Management parameters*

✱ **Particle  
Size**

✱ **H<sub>2</sub>O**

✱ **O<sub>2</sub>**

✱ **Porosity**

✱ **C:N ratio**

# *Conclusions*

- ✦ The composter's success in managing the process will determine
  - Product quality
  - Product consistency
- ✦ Consistent quality increases demand for composts
- ✦ Increased demand increases product value



University of California  
**AGRICULTURE AND NATURAL RESOURCES**

Questions?  
Questions?





*Compost*  
*types and uses*

**David M. Crohn**

Department of Soil and Environmental Sciences  
University of California, Riverside



*Mulches:  
cover the soil*

✦ Higher C:N ratios

✦ Larger particles sizes

✦ Low trash levels

✦ Maturity less important

# *Soil amendments: modify soil properties*

- ✦ Changes take time
- ✦ Soil properties are changes by
  - Compost particles
  - Formation of soil aggregates
- ✦ Salinity more likely to be a concern
- ✦ Maturity may be more important

# *Organic fertilizers: slow release*

- ✦ Compost nutrient content is usually not available immediately
- ✦ Important in long-term nutrient budgeting
- ✦ Low C:N ratios are better fertilizers

# *Conclusions*

- ✦ Mulches, soil amendments and organic fertilizers are uses, not products.
- ✦ Composts may serve any of these.
- ✦ Different composts have different properties, and will therefore be more suitable for some uses than for others.